









INTRODUCTIONS

KOYO CORPORATE (M) SDN BHD was founded in 2013. We are now a leading provider of numerous makes of commercial ice making machines, dishwashers, food and beverage kitchenware equipment for a wide range of companies in many industries throughout Malaysia, with business coverage including South East Asia and other overseas countries.



COMPANY VISION

Provide Energy saving, sustainable, environmental friendly food and beverage machinery products toward better future of living, society and humanity.



- O1 Become the major and leading ice machine manufacturer in Malaysia.
- Become the premier ice machine supplier in south east asia and worldwide.
- Helping KOYO customers in their business needs by providing sustainable products, solutions and services.

- ENERGY SAVING & ENVIRONMENT FRIENDLY
- 9 FREE CTOS CHECKING

7 FREE GIFT

← HIGH OUTPUT CAPACITY

- FREE CONSULTATION & SITE VISIT
- S ABLE TO PRODUCE ICE AT 50°C
- 11 FREE INSTALLATION & DELIVERY
- 6 ► 4 HOURS RESPONSE TIME
- 12 FREE SERVICE EVERY MONTH

WIN POINTS KOYO No.1

- 13 FREE SOCIAL MEDIA MARKETING
- 19 KOYO COMPANIES

14 LIFETIME WARRANTY

- PWP 50%
 HOT WATER DISPENSER
- 15 > 3 YEARS ALL PARTS WARRANTY
- TRADE IN PROGRAM & REFERRAL PROGRAM
- 16 MACHINE EXCHANGE MORE THAN 3 TIMES SERVICES
- KOYO RESEARCH &
 DEVELOPMENT
- SALES & SERVICES
 COVERAGE NATIONWIDE
- 23 KOYO MANUFACTURING
- CONVENIENCE PAYMENT SERVICE -
- 24 MADE IN MALAYSIA

ACHIEVEMENT **MORE THAN RM28,000,000 MARKET VALUE**

KOYO is Malaysia Number 1 ice making machine manufacturer and service provider based on the documentation provided and sighted in reaching the trademark valuation figures.



PROPERTY BIGHTS OF KOYO CORPORATE (N) SON, DISC.

EXECUTIVE SUMMARY

Verlag P.S. that PVP") per independent for approximation of integration state, is particular, institute gringers, IP rights and termination. A that shall have four and standard per instructions provide to entire agent states account of Ma-philipses, that integrations are all displays inflations (Expendent Exp.) in the same displayable report and expendent per an expensive properties. See Conjugate report of the same states of

With the members compared of Planyage, coordinate, certified it habitered it flaggered and a second of the property processor and the processor of the processo

Copy Coperator IMC for that he many sentences wherein see AUS No. Mid which man impropriate in February 2010 but fact your than in agent to serve to loop Coperator NC 50 and in September 200 at a Circum sentences determined within mother that in the region of the coperator in the coperator 200 at a Circum sentences and the coperator in the coperator and the coperator in the cop

Constitution and common method less to consider appropriate common better considered with 1992 of the 2464 from Toyon, Method Howaver, from an exception when sincerement doesnot permit and expressible depletment effects meniod

by Saphying the selected matrice of zellor from regards backfod for salling the trade-pain TO, NOTOT, are reported the included property 197 piggoing about in 0000 could be consisted and deleted. The following are the market space of intergible section particles bear TO E (2007 of COTO) about 2014 Paint 2015 Paint 2014 Paint 2015 Paint 201

The Industry Treeth of the braken thanker the personned 2000 Self-ball is 2000-and independed to grow at 5.5% CACCES cropper 2005, and 2007. The expending body is wearing on the data and some state of the data control to the data and the data control to the control. The internal greatest and of the data control to the internal greatest and a reason on evaluating, overcomed, and included anyon for its data greatest and a reason of evaluating or evaluating and evaluating and evaluating and the data and evaluating and the data and evaluating and the data and evaluating and


We conclude that the Name Water of the 1996 is periode. Further and NS 2010 which assessed order the concept of a Salay Concept teath as at 15th degree 2009 model as which the salay of 8011.00 willing to 8010.10 willing to second order. We assess that are righted and final Line Value of Pfiline 1020 Congression Pfiline that and be 6000.04 medium the 10th 2 in taking a Retrief.






► ACHIEVEMENT MORE THAN 150 EMPLOYEES OVER WHOLE MALAYSIA


"Powering Progress Nationwide: With a Dedicated Workforce of Over 130 Employees, We Lead the Way in Malaysia"















CORPORATE SOCIAL RESPONSIBILITY

Pertubuhan Kebajikan Rumah Kasih Jing Yuan Setapak



Charity Center in PJ Old Town



Pertubuhan Penyayang Hospis
Pure Lotus, Pulau Pinang



Pertubuhan Kebajikan Rumah Kasih Jing Yuan Cheras



Good Heart Charity Home Alor Setar, Kedah













Best Services!

Koyo Corporate (M) Sdn Bhd was appointed as sole distributor by Koyo Electrical Equipment Co. Ltd, Japan in year 2013. By now, KOYO is well recognized as the commercial and industrial ice machines supplier and manufacturer in Malaysia and South East Asia.





OUR VALUED CUSTOMER









































































SEOUL GARDEN



KUALA LUMPUR, MALAYSIA

JOIN US Join Our Team

Be Part of Our Story!





PORTABLE BULLET ICE

MACHINE





HIGH **EFFICIENCY**



FAST ICE MAKING



BACTERIA



ENERGY



SILENT MODE

6

PORTABLE ICE MACHINE



Small, light-weight, energy saving and portable ice maker, suitable for home-based business, office used, and other small business which required kittle ice usage per day.

MODEL: KB15	
Refrigerent R600A / 21G	
Cooling System	AIR
Max Production Capacity (24 Hours)	15KG +/-
Storage Capacity	0.8KG +/-
Rated Power / Voltage / Frequency	105W / 220V / 50Hz
Machine Dimension	W242 x D358 x H328 MM















Small, light-weight, energy saving and portable ice maker, suitable for home-based business, office used, and other small business which required kittle ice usage per day.

MODEL: K25		
Refrigerent R600A / 21G		
Cooling System	AIR	
Max Production Capacity (24 Hours)	25KG +/-	
Storage Capacity	1.3KG +/-	
Rated Power / Voltage / Frequency	120W / 220V / 50Hz	
Machine Dimension	W287 x D375 x H375 MM	











PORTABLE ICE MACHINE



Small, light-weight, energy saving and portable ice maker, suitable for home-based business, office used, and other small business which required kittle ice usage per day.

MODEL: KN20	
Refrigerent	R290
Cooling System	AIR
Max Production Capacity (24 Hours)	20KG +/-
Storage Capacity	3.0KG +/-
Rated Power / Voltage / Frequency	350W / 220V / 50Hz
Machine Dimension	W510 x D310 x H551 MM

















Small Ice Maker - Suitable for small cafe, coffee house, KTV, small bar, hotel, private ship and ferry, medical treatment, hospital, small business, home used and other events.

MODEL: KT100		
Refrigerent	R404A / R22	
Cooling System	AIR	
Max Production Capacity (24 Hours)	100KG +/-	
Storage Capacity	25KG +/-	
Rated Power / Voltage / Frequency	625W / 220V / 50Hz	
Machine Dimension	W1000 x D700 x H800 MM	

















Small Ice Maker - Suitable for small cafe, coffee house, KTV, small bar, hotel, private ship and ferry, medical treatment, hospital, small business, home used and other events.

MODEL: K40	
Refrigerent R404A / R290	
Cooling System	AIR
Max Production Capacity (24 Hours)	40KG +/-
Storage Capacity	5KG +/-
Rated Power / Voltage / Frequency	260W / 220V / 50~60Hz
Machine Dimension	W430 x D530 x H810 MM (No Leg H750 MM)
	141111111111111111111111111111111111111



















Small Ice Maker - Suitable for small cafe, coffee house, KTV, small bar, hotel, private ship and ferry, medical treatment, hospital, small business, home used and other events.

MODEL: K60		
Refrigerent	R404A / R290	
Cooling System	AIR	
Max Production Capacity (24 Hours)	60KG +/-	
Storage Capacity	15KG +/-	
Rated Power / Voltage / Frequency	320W / 220~240V / 50~60Hz	
Machine Dimension	W540 x D550 x H931 MM (No Leg H860 MM)	





ICE MAKING













ICE CUBE/CRUSHED MACHINE



Commercial Ice Cube/Crushed Machine - Widely used by small or medium food and beverage shops include restaurants, bistro, café, coffee, tea house, fast food, resorts, pub, canteen, business who need minimal of ice usage for time saving and cost effective in their business startup.

MODEL	KR125	KC125
Refrigerent	R404A / R290	R290
Cooling System	AIR	AIR COOLED
Max Production Capacity (24 Hours)	125KG +/-	125KG +/-
Storage Capacity	40KG +/-	60KG +/-
Rated Power / Voltage / Frequency	760W / 220~240V / 50~60Hz	350W / 220V / 50Hz
Machine Dimension	W650 x D680 x H1100 MM	W580 x D650 x H950 MM

















Commercial Ice Cube/Crushed Machine - Widely used by small or medium food and beverage shops include restaurants, bistro, cafe, coffee, tea house, fast food, resorts, pub, canteen, business who need minimal of ice usage for time saving and cost effective in their business startup.

MODEL	KR150	KC150
Refrigerent	R404A / R290	R404A
Cooling System	AIR	AIR COOLED
Max Production Capacity (24 Hours)	150KG +/-	150KG +/-
Storage Capacity	100KG +/-	100KG +/-
Rated Power / Voltage / Frequency	900~1100W / 220~240V / 50~60Hz	950W / 220V / 50Hz
Machine Dimension	W656 x D840 x H1695 MM	W656 x D840 x H1695 MM



















Commercial Ice Cube/Crushed Machine - Widely used by small or medium food and beverage shops include restaurants, bistro, cafe, coffee, tea house, fast food, resorts, pub, canteen, business who need minimal of ice usage for time saving and cost effective in their business startup.

MODEL	KR210	KC210
Refrigerent	R404A	R404A
Cooling System	AIR	AIR
Max Production Capacity (24 Hours)	210KG +/-	210KG +/-
Storage Capacity	100KG +/-	100KG +/-
Rated Power / Voltage / Frequency	1050W / 220~240V / 50~60Hz	950W / 220V / 50Hz
Machine Dimension	W568 x D812 x H1790 MM	W568 x D812 x H1790 MM





WATER FILTER













Commercial Ice Cube/Crushed Machine - Widely used by small or medium food and beverage shops include restaurants, bistro, café, coffee, tea house, fast food, resorts, pub, canteen, business who need minimal of ice usage for time saving and cost effective in their business startup.

MODEL	KR360	KC360
Refrigerent	R404A	R404A
Cooling System	AIR	AIR
Max Production Capacity (24 Hours)	360KG +/-	360KG +/-
Storage Capacity	200KG +/-	200KG +/-
Rated Power / Voltage / Frequency	1950W / 240V / 50-60Hz	1450W / 220V / 50Hz
Machine Dimension	W780 x D840 x H2100 MM	W780 x D840 x H2100 MM

















ICE CUBE/CRUSHED MACHINE



Commercial Ice Cube/Crushed Machine - Widely used by small or medium food and beverage shops include restaurants, bistro, cafe, coffee, tea house, fast food, resorts, pub, canteen, business who need minimal of ice usage for time saving and cost effective in their business startup.

MODEL	KR450	KC450
Refrigerent	R404A	R404A
Cooling System	AIR	AIR
Max Production Capacity (24 Hours)	450KG +/-	450KG +/-
Storage Capacity	200KG +/-	200KG +/-
Rated Power / Voltage / Frequency	2050W / 220~240V / 50~60Hz	1850W / 220V / 50Hz
Machine Dimension	W785 x D930 x H1955 MM	W785 x D930 x H1955 MM





WATER FILTER















High-Capacity Commercial Ice Cube Machine which suitable and widely use by food and beverage business which include beverage wholesale, food courts, ice selling and other business application as well.

MODEL	K700	K1000
Refrigerent	R404A	R404A
Cooling System	AIR	AIR
Max Production Capacity (24 Hours)	700KG +/-	1000KG +/-
Storage Capacity	450KG +/-	450KG +/-
Rated Power / Voltage / Frequency	3300W / 380~415V / 50~60Hz	5250W / 380~415V / 50~60Hz
Machine Dimension	W1230 x D945 x H1970 MM	W1230 x D945 x H2045 MM



















FLAKE ICE MACHINE





HIGH

EFFICIENCY



NEW WATER FILTER



FAST ICE MAKING



ANTI-BACTERIA



SAVE ENERGY



STAINLESS



SILENT





Commercial Entry Level of Flake Ice Machine which suitable and widely used by fresh mart, supermarket, selling seafood, frozen food business and food processing industry.

MODEL	F300	F500
Refrigerent	R22	R22
Cooling System	AIR	AIR
Max Production Capacity (24 Hours)	300KG +/-	500KG +/-
Storage Capacity	200KG +/-	200KG +/-
Rated Power / Voltage / Frequency	1760W / 220~240V / 50~60Hz	2700W / 220~240V / 50~60Hz
Machine Dimension	W1050 x D1000 x H1950 MM	W1250 x D1220 x H2100 MM







ICE MAKING











Commercial Entry Level of Flake Ice Machine which suitable and widely used by fresh mart, supermarket, selling seafood, frozen food business and food processing industry.

MODEL	F1000	F1500
Refrigerent	R404A	R404A
Cooling System	AIR	AIR
Max Production Capacity (24 Hours)	1000KG +/-	1500KG +/-
Storage Capacity	300KG +/-	800KG +/-
Rated Power / Voltage / Frequency	4400W / 380V / 50-60Hz	7000W / 380V / 50-60Hz
Machine Dimension	W1320 x D1250 x H2005 MM	W1108 x D1378 x H2750 MM



















Koyo Portable Cold Room suitable and widely used by fresh mart, supermarket, wholesale, frozen food business and food processing industry.

MODEL	PCR10	PCR20	PCR30
Capacity	10m ³	20m ³	30m ³
Temperature	10°C"-20°C	10°C ⁺ -20°C	10°C~-20°C
Rated Power	2.2 KW	3.5 KW	4.96 KW
Net Weight	440KG	900KG	1300KG
Power Supply	380V / 50Hz / 3 Phase	380V / 50Hz / 3 Phase	380V / 50Hz / 3 Phase
Machine Dimension	W1950 x D2250 x H2450 MM	W3900 x D2250 x H2450 MM	W5850 x D2250 x H2450 MM



















COFFEE







SEMI/FULLY AUTOMATED ELECTRONIC



FRESH GROUND COFFEE BEANS



CUSTOMIZE THE DESIRED CUP SIZE & TASTE



100% IMPORTED COFFEE BEAN



GUARANTEE REPAIR & MAINTENANCE





Koyo prestigious automated coffee machine. Koyo coffee machines are ISO-9001 certified, and widely used by cafes, restaurants, hotels, fast food outlets and corporate office.

MODEL: FCMT19BAR (FULLY-AUTO)

Bean Storage
Capacity

Water Capacity

1.7L

Pump Pressure

19 Bar (Italy)

Net Weight

10.5KG

Rated Power

1350W

Drink Available

Americano, Espresso, Latte, Cappuccino, Hot Water, Hot Milk

Tray Dimension

W270 x D410 x H140 MM







SEMI AUTOMATED



COFFEE BEANS



Machine Dimension

CUSTOMIZE THE DESIRED CUP SIZE & TASTE



100% IMPORTED COFFEE BEAN



W270 x D440 x H360 MM

GUARANTEE REPAIR & MAINTENANCE



MODEL: SACM01 (SEMI AUTO)

Rated Power 2.8~3.0KW

ltage 220~230V

equency 50~60Hz

Net Weight 13.5KG

achine Dimension W300 x D520 x H520 MM



TOUCH SCREEN



FULLY AUTOMATED ELECTRONIC



FRESH GROUND COFFEE BEANS



CUSTOMIZE THE DESIRED CUP SIZE & TASTE



100% IMPORTED COFFEE BEAN



GUARANTEE REPAIR & MAINTENANCE





ICE CREAM MACHINE







HIGH EFFICIENCY



DURABLE



FAST MAKING



QUALITY



MULTIPLE TASTE & MIXTURE



EASE OF CLEANING



STAY



Koyo Ice Cream Machine which ideal for home kitchens, ice cream parlors, cafes, and special events, an ice cream machine adds a delightful touch to any gathering.



MODEL	ICEC13TK	ICEC18TM	ICEC25S
Refrigerant / Compressor	R290 / 60G	Panasonic Compressor	Panasonic Compressor
Rated Power	1000W	1600W	1800W
Voltage / Frequency	220-240V / 50-60Hz	220~240V	220~240V
Capacity	13L / H	90KG	110KG
Machine Dimension	W210 x D610 x H706 MM	W480 x D770 x H690 MM	W560 x D720 x H1380 MM



















DISHWASHER MACHINE



FEATURES



HIGH EFFICIENCY



HIGH TEMPERATURE WASH



AUTO CLEANING



EXCELLENT



TIME



LOW



Koyo Dishwasher is a valuable asset for restaurants, catering services, hotels, & other foodservice establishments seeking fast & thorough dishwashing solutions.

MODEL: DW50

8.8KW

220V

3KW

5KW

0.1KW

0.7KW

400 MM

> 50 Racks/H

W625 x D635 x H830 MM

LOW

Steam or Electric

Heating Mode Rated Power Got E. Main Washing Water Pump Power

TEMPERATURE WASH

CLEANING



EFFICIENCY



HIGH TEMPERATURE WASH











MODEL: DW60 S/T

Voltage	220V / 380V
Washing Heat Power	зкw
Spraying Heat Power	12KW
Cleaning Pump	0.75KW
Water Volume	19L
Maximum Hourly Water Consumption	2.5
Water Tank Capacity	26L
Max Washing Height	450 MM
Capacity	60 or 40 or 20
Machine Dimension	W700 x D800 x H1500 -1920 MM



Koyo Dishwasher is a valuable asset for restaurants, catering services, hotels, & other foodservice establishments seeking fast & thorough dishwashing solutions.



MODEL: STCR01 R/L

Heating Mode	Steam or Electrical	Rack Size	500 x 500 MM
Wash Tank Capacity	85L	Loading Height	450 MM
Booster Tank Capacity	21L	Power Supply	425V / 50Hz / 3 Phase
Rinse Consumption	247KG	Capacity	205 Racks, 4946 pcs 6" Plate/H
Net Weight	247KG	Machine Dimension	W1070 x D790 x H1571 MM







HIGH TEMPERATURE WASH



AUTO CLEANING



EXCELLENT



TIME



NOISE



MODEL: STCR02 R/L

Heating Mode	Steam or Electrical	Power Supply	380V / 50Hz / 3 Phase
Steam or Electrical	36KW	Rated Power	425V / 50Hz / 3 Phase
Loading Height	400 MM	Capacity	>2500 Dishes/H
Main Washing Electrical Heating Power	9KW	Machine Dimension	W3800 x D850 x H1850 MM



HIGH TEMPERATURE WASH

G)





TIME SAVING

LOW

.



Koyo Dishwasher is a valuable asset for restaurants, catering services, hotels, & other foodservice establishments seeking fast & thorough dishwashing solutions.

MODE	L: STCF01 R/L
Heating Mode	Steam or Electrical
Power Supply	380V / 50Hz / 5 Phase
Water Comsumption	150L/H
Steam Comsumption	112KG/H
Net Weight	320KG
Loading Height	400 MM
Capacity	> 2500 Dishes/H
Machine Dimension	W1630 x D800 x H1520 MM







HIGH TEMPERATURE WASH





EXCELLENT







MODEL: UDW1.5 (ULTRASONIC)

Capacity 3000 Dishes/Hour

Rated Power 6KW

W1500 x D800 x H950 MM

MODEL: UDW1.8 (ULTRASONIC)

4000 Dishes/Hour

7.5KW

W1800 x D800 x H950 MM



HIGH EFFICIENCY



HIGH TEMPERATURE WASH



AUTO CLEANING





SAVING







Koyo Adjustable Dish Caddy is a convenient storage solution designed to safely transport and store dishes, ensuring they remain organized and secure. Commonly used in catering businesses, restaurants, and events where efficient dish handling and storage are essential.

MODEL: ADC01

Max. Capacity

200 pcs = 45-50 pcs/stack (4.5" - 13" plate)

Height Of Pillar

480 MM

Material

PE Plastic

Net Weigh

30KG

Product Dimension

W955 x D710 x H800 MM



ADJUSTABLE







HANDLING





CLEANING

DISHWASHER RACK



Koyo Dishwasher Racks are used to help with organisation, space efficiency and cleaning. These holders keep plates, mugs and glasses in place while the dishwasher is running. This prevents them from moving around and potentially breaking or getting damaged.





MODEL: DWR01/02/03/04

Material

Polypropylene (PP)

Product Dimension

W490 x D490 x H100 MM



CH)

EASY TO







COMPACT

EASE OF





KITCHEN



FEATURES



HIGH EFFICIENCY



HEAVY



EASY TO USE



QUICK



BLENDER



EASE OF CLEANING





Koyo Ice Crush Machine is a must-have for poolside bars, beachside kiosks, concession stands, and outdoor events, creating a paradise of cool, shaved ice treats.

МО	DEL: ICM120K
Power Supply	80W / 220V / 50Hz
Production Rate	120KG/H
Net Weight	10KG
Machine Dimension	W445 x D355 x H575 MM









BLENDING









ICE SHAVING MACHINE



Koyo Ice Shaving Machine is a must-have for poolside bars, beachside kiosks, concession stands, and outdoor events, creating a paradise of cool, shaved ice treats.

MODEL: ISM120K 250W / 220~240V / 50~60Hz 120KG/H 10KG W445 x D355 x H575 MM



















Koyo Slush Machine is a must-have for poolside bars, beachside kiosks, concession stands, and outdoor events, creating a paradise of cool, shaved ice treats.

MC	DDEL: SM212H
Refrigerent Gas	R290 / 150G
Rated Power	950W
Voltage / Frequency	220V / 50Hz
Capacity	12 Liter x 2
Net Weight	50KG
Gross Weight	55KG
Machine Dimension	W430 x D550 x H800 MM















SNOW ICE MACHINE



Koyo Snow Ice Machine Ideal for concession stands, dessert shops, cafes, and event venues, a snow ice machine brings the allure of frosty treats to your customers with delightful shaved ice creations.

l.	MODEL: SI01
Refrigerent	R404A
Rated Power	1300W
Voltage / Frequency	220V / 50Hz
Feature	Auto-Wash
Net Weight	50KG
Cooling Mode	Water Cooling
Machine Dimension	W365 x D525 x H500 MM















BLENDER

EASE OF CLEANING





Koyo Ice Blender finds its perfect spot in kitchens, smoothie bars, cafes, and juice joints, effortlessly transforming ingredients into refreshing and creamy beverages.

MODEL: IB02	
Power Supply	2200W / 220V / 50Hz / 10A
Capacity	2L
Weight.	6.5KG
Machine Dimension	W230 x D205 x H450 MM

















HEAVY DUTY ICE BLENDER



Koyo Heavy Duty Ice Blender finds its perfect spot in kitchens, smoothie bars, cafes, and juice joints, effortlessly transforming ingredients into refreshing and creamy beverages.

MODEL: IBT01		
Power Supply	1500W / 220~240V / 50~60Hz	
apacity	1.2L	
Veight	8KG	
Machine Dimension	W220 X D260 X H425/H610 MM	

















Koyo Single/Double Hot Water Dispenser finds its perfect place in offices, break rooms, cafeterias, and kitchens, providing convenient access to hot water for beverages, soups, and other instant needs.

MODEL	HWS35LX	HWD60LX
Rated Power	зкw	ЗКW
Voltage / Frequency	220V / 50Hz	220V / 50Hz
Inlet Pressure	300-600 kPa	300-600 kPa
Water Discharge	35L/H	60L/H
Capacity	12L	25L
Machine Dimension	W190 x D240 x H640 MM	W400 x D280 x H520 MM













AUTO AUTO SENSOR TEMPERATURE

EASY TO



NATURAL WATER DISPENSE WITH HOT WATER



Koyo Hot & Cold Water Dispenser finds its perfect place in offices, break rooms, cafeterias, and kitchens, providing convenient access to hot water for beverages, soups, and other instant needs.

MODEL: HC5L		
Voltage / Frequency	220V / 50Hz	
Water Capacity	15 Liter	
Intake Pressure	100~400kPa	
Heating Power	1500W	
Hot Water Temp	≥ 90°C 5L/H	
Environment Temp	10~38°C	
Machine Dimension	W400 x D350 x H1470 MM	













UTO EAS



COOLING FAN



Koyo Cooling Fans are robust, high-performance devices designed for heavy-duty cooling applications in large spaces or industrial settings. Cooling Fans find applications in warehouses, factories, workshops, manufacturing plants, and other large spaces where heat buildup is a concern.

MODEL: F20000		
Rated Power	900W	
Voltage	220V	
Frequency	50Hz	
Applicable Area	50-150M ²	
Distance	12-15M	
Water Tank Capacity	120-150L	
Machine Dimension	W750 x D470 x H1600 MM	













OUTDOOR WATER FILTER





Koyo Water Filter is an essential companion that provides clean and purified water from various natural sources.

MOD	EL: OWF01
Total Height	1200 MM
Tank Height	1050 MM
Tank Diameter	225 MM
Valve Size	1" or 3/4 Inch
Media Capacity	34KG
Overall Weight	39KG
Min Working Pressure	25 PSI
Max Working Pressure	120 PSI
Flow Rate	33 LPM



















THE SECRET INGREDIENT TO GOURMET DINING



Large Gourmet 39 g / Ø 38 mm / H 41 mm (EC & MXG SERIES)

FEATURES

- Unique shapes include octagonal or cylindrical shapes.
- Hard, clear ice cubes are perfect for elegant settings.
- ▶ Effectively cools drinks without dilute the flavor.

UPSCALE RESTAURANT









Whether you're a foodie, mixologist, or simply love luxurious drinks and dishes, explore the exquisite world of Scotsman gourmet ice.











MODEL	EC 87	EC 107	EC 177	
Refrigerant Gas	R290	R290	R290	
Condensing System	Air Cooled	Air Cooled	Air Cooled	
Power Supply	230V / 50Hz / 1 Phase	230V / 50Hz / 1 Phase	230V / 50Hz / 1 Phase	
Bin Capacity	19KG +/-	23KG +/-	48KG +/-	
Max Production Capacity (24 Hours)	36KG +/-	47KG +/-	77KG +/-	V
Net Weight	44KG	47KG	70KG	
Machine Dimension	W531 x D600 x H825 MM	W531 x D600 x H930 MM	W680 x D600 x H1079 MM	





INNOVATIVE AIRFLOW SYSTEM









Whether you're a foodie, mixologist, or simply love luxurious drinks and dishes, explore the exquisite world of Scotsman gourmet ice.

MXG SERIES Eco XSafe











MODEL	MXG 328	MXG 428	MXG 638	
Refrigerant Gas	R452A	R452A	R452A	
Condensing System	Air Cooled	Air Cooled	Air Cooled	
Power Supply	230V / 50~60Hz / 1 Phase	230V / 50-60Hz / 1 Phase	230V / 50~60Hz / 1 Phase	
Bin Capacity	100KG +/-	150KG +/-	200KG +/-	
Max Production Capacity (24 Hours)	145KG +/-	185KG +/-	315KG +/-	4
Net Weight	66KG	66KG	116KG	
Machine Dimension	W568 x D800 x H1641 MM	W568 x D800 x H1641 MM	W773 x D870 x H2298 MM	













• KOYO CORPORATE (M) SDN BHD (HQ) 201301004535 (1034378-D) (HQ OFFICE) BLOCK A-3A-13, KELANA SQUARE, JALAN SS7/26, KELANA JAYA, 47301 PETALING JAYA, SELANGOR.

- KOYO MANUFACTURER (M) SDN BHD 202001033241 (1389562-W) NO.42A, JALAN ECO PERINDUSTIAN 1/3A, ECO PERINDUSTRIAN 5, 42300 BANDAR PUNCAK ALAM, SELANGOR.
- KOYO 5S (SABAH) SDN BHD 202001043591 (1399912-T) (SHOWROOM) LOT 172, LOK KAWI INDUSTRIAL ESTATE, 89600 PAPAR, SABAH.
- KOYO 5S (SARAWAK) SDN BHD 202001043583 (1390904-D) (SHOWROOM) WAREHOUSE C, 68B JALAN KUNG PHIN, 93450 KUCHING, SARAWAK.
- KOYO 5S (SOUTHERN) SDN BHD 202101021133 (1421433-D) 129, JALAN BERINGIN TAMAN MELODIES, 80250 JOHOR BAHRU, JOHOR.
- VEX. (KDH) SDN BHD 201301004535 (1034378-D)
 18, JALAN GUNUNG INDAH 4, PLAZA GUNUNG INDAH, 05400 ALOR SETAR, KEDAH.
- KOYO 5S (PNG) SDN BHD 202201042305 (1488002-D) NO.119, JALAN SEANG TEK 10400 GEORGETOWN, PENANG.
- ▼ KOYO 5S (KTN) SDN BHD 202201042306 (1488003-A) (SHOWROOM)

 B4, LORONG TUN ISMAIL 6, SRI DAGANGAN BUSSINESS CENTRE, 25000 KUANTAN, PAHANG.

 **TOTAL CONTROL OF THE PROPERTY OF THE PROPE
- ▼ KOYO 5S (SGR) SDN BHD 202201042307 (1488004-P)
 (SHOWROOM)
 BLOCK A-GL-01, KELANA SQUARE, JALAN SS7/26, KELANA JAYA,
 47301 PETALING JAYA, SELANGOR.

(WORKSHOP)

BLOCK A, GL08, KELANA SQUARE, NO.17, JALAN SS7/26, KELANA JAYA, 47301 PETALING JAYA, SELANGOR.

- KOYO 5S (SIBU) SDN BHD 202201042308 (1488005-M) NO.4, JALAN TEKU LAMA, 96000 SIBU, SARAWAK.
- ▼ KOYO 5S (SDK) SDN BHD 202201042309 (1488006-H)
 BLOCK B, TINGKAT 1, BANGUNAN WING FATT TAMAN CHRYSANTHEMUM,
 JALAN UTARA SANDAKAN, 90000 SANDAKAN, SABAH.
- IMAN KITCHEN EQUIPMENT SDN BHD 202201042303 (1488000-U) LOT 37745, TINGKAT BAWAH, WISMA LIEOS, DATARAN RIMBA SQUARE, 21300 KUALA NERUS, TERENGGANU.





























Hotline: 1300-88-0711

www.icemalaysia.com.my